

IN THE CLAIMS

For the convenience of the Examiner, all pending claims of the Application are reproduced below, regardless of whether amended or not.

Sub B1

1. (Currently Amended) A controller for a packet processing system, configured to:

- (a) receive signal quality information about a plurality of data streams;
- (b) based on the signal quality information, to select one of the plurality of data streams to be forwarded independently of the controller, wherein the controller is configured to receive the signal quality information from a plurality of base transceiver stations, and wherein the controller is configured to direct one of the base transceiver stations to forward its data stream to a network device.

A1

2. (Original) The controller as recited in Claim 1, wherein the data streams are associated with a call session from a remote device, and the controller is configured to select only one data stream to be forwarded.

3. (Original) The controller as recited in Claim 2, wherein the data streams are associated with a plurality of call sessions from remote devices, and the controller is configured to select only one data stream to be forwarded for each call session.

4. (Canceled) The controller as recited in Claim 2, wherein the controller is configured to receive the signal quality information from a plurality of base transceiver stations in communication with the remote device.

5. (Canceled) The controller as recited in Claim 4, wherein the controller is configured to direct one of the base transceiver stations to forward its data stream to a network device.

6. (Currently Amended) The controller as recited in ~~Claim 5~~ Claim 1, wherein the data stream comprises packets using internet protocol.

7. (Currently Amended) The controller as recited in ~~Claim 5~~Claim 1, further configured to provide a multicast address to the network device for transmitting a data stream.

8. (Currently Amended) The controller as recited in Claim 7, further configured to instruct a selected one of the base transceiver stations to receive the data stream at the multicast address.

9. (Original) The controller as recited in Claim 8, wherein the data stream comprises packets using internet protocol.

10. (Currently Amended) The controller as recited in Claim 1, further configured to establish a multicast address for issuing commands ~~to a~~ to the plurality of base transceiver stations.

11. (Currently Amended) A method for processing packets, comprising the steps of:  
(a) receiving signal quality information about a plurality of data streams;  
(b) selecting, based on the signal quality information, one of the plurality of data streams to be forwarded independently of the controller, wherein the signal quality information is received from a plurality of base transceiver stations, and wherein a selected one of the base transceiver stations is directed to forward its data stream to a network device.

12. (Currently Amended) A computer program product for processing packets, comprising a computer usable medium having machine readable code embodied therein for performing the steps of:  
(a) receiving signal quality information about a plurality of data streams;  
(b) selecting, based on the signal quality information, one of the plurality of data streams to be forwarded independently of the controller, wherein the signal quality information is received from a plurality of base transceiver stations, and wherein a selected one of the base transceiver stations is directed to forward its data stream to a network device.

13. (Currently Amended) A controller for a packet processing system, comprising:
- (a) means for receiving signal quality information about a plurality of data streams;
- and
- (b) means for selecting one of the plurality of data streams to be forwarded
- Independently of the controller, based on the signal quality information, wherein the signal quality information is received from a plurality of base transceiver stations, and wherein a selected one of the base transceiver stations is directed to forward its data stream to a network device.
- A 14. (Original) The controller as recited in Claim 13, wherein the data streams are associated with a call session from a remote device, and the means for selecting is configured to select only one data stream to be forwarded.
15. (Original) The controller as recited in Claim 14, wherein the data streams are associated with a plurality of call sessions from remote devices, and the means for selecting is configured to select only one data stream to be forwarded for each call session.
16. (Canceled) The controller as recited in Claim 14, wherein the means for receiving signal quality information comprises means for receiving the signal quality information from a plurality of base transceiver stations in communication with the remote device.
17. (Canceled) The controller as recited in Claim 16, further comprising means for directing one of the base transceiver stations to forward its data stream to a network device.
18. (Currently Amended) The controller as recited in ~~Claim 17~~ Claim 13, wherein the data stream comprises packets using internet protocol.
19. (Currently Amended) The controller as recited in ~~Claim 17~~ Claim 13, further comprising means for providing a multicast address to the network device for transmitting a data stream.

20. (Currently Amended) The controller as recited in Claim 19, further comprising means for instructing a selected one of the base transceiver ~~station~~ stations to receive the data stream at the multicast address.

21. (Original) The controller as recited in Claim 20, wherein the data stream comprises packets using internet protocol.

A/ 22. (Currently Amended) The controller as recited in Claim 13, further comprising means for establishing a multicast address for issuing commands ~~to a~~ to the plurality of base transceiver stations.